

Архангельск (8182)63-90-72	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Сургут (3462)77-98-35
Астана (7172)727-132	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Барнаул (3852)73-04-60	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)74-02-29
Белгород (4722)40-23-64	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Волгоград (844)278-03-48	Киров (8332)68-02-04	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Вологда (8172)26-41-59	Краснодар (861)203-40-90	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Красноярск (391)204-63-61	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Курск (4712)77-13-04	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Ярославль (4852)69-52-93
	Липецк (4742)52-20-81			

Киргизия (996)312-96-26-47    Казахстан (772)734-952-31    Таджикистан (992)427-82-92-69

<http://shua.nt-rt.ru> || [sah@nt-rt.ru](mailto:sah@nt-rt.ru)

# 68 SERIES Power Equipment

68 series is Shuhua's latest strength equipment. Our teams spend much time in developing and designing 68 series.

Premium quality material and skilled technology, pleasure experience, new design and comfortable feeling, all those advantages make exercise simply, easy and effective.

The 68 series strength equipment has 40 types, professionally and compressively, including plated-loaded, plate-hanged and free weight. User builds muscles according to their needs.




## Path of motion

Lots of exercise patterns are monitored. And we analyze it precisely and particularly, getting the best movement tracks of equipment. 68 series accord with natural movement of body muscle groups. Maximumly, it protects joints when user is building muscle.



## Load distribution

Optimal load distribution of equipment is acquired by testing users at different figures and researching follow-up analysis. So load is distributed according to movement tracks, which is convenient to users.



## Adjustable installation


Few steps need to be set before exercise; all adjustments are reachable in training position. In addition, set adjustable installation in the same position possibly. Progressive adjustor makes exercise easy and control exercise intensity. Using rare metal material is durable, absorptive, anti-drop, safe and stable.

Strength Equipment




## SH-relaxer

Shuhua R&D advances the concept, studying the single muscle and its status in compound exercise. We apply those researches to products, and simulate body's natural movement. During exercise, resistance force stays the same, making the smooth exercise experience.



## Smooth traction

Weight plate is added, and parts of it reach 135KG. Under the circumstance, user still can use easily because of PA wire rope imported from Japan.



## Biomechanics chair

Ergonomics chair and two-piece back design help user get the right posture during exercise. We adopt different density filler and offer soft or tough support where needed according to body shape. Wide and comfortable chair is for giant user, lower height of chair is for short stature user.



Seat mat of Dual-rail and fixed design is stable, comfortable and durable.

## Perfect handlebar

New handlebar design distributes loads balancelly, making exercise more effective and comfortable. Chromium plating surface is easy to grip tightly, avoiding sideslip.



## V68T Series

Brand new intelligent V68T series with internet connection, creative movement track, shopping, reading, gaming and other intelligent functions display an all dimensional intelligent experience.




Strength Equipment



**Chest press** SH-5801

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6
- Dimension(mm) 1471\*1395\*1820(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg


• Muscle trained:  
pectoralis major,  
anterior deltoid,  
triceps



**Butterfly** SH-5802

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1352\*1531\*1544(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg

• Muscle trained:  
pectoralis major,  
anterior deltoid,  
biceps




Strength Equipment



**Seated Rowing** SH-5803

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension (mm) 1586\*1073\*1544(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg


• Muscle trained:  
back muscle groups,  
trapezius, biceps



**Shoulder press** SH-5804

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1631\*1485\*1534(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg


• Muscle trained:  
deltoid, triceps



**Lateral raise** SH-5805

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1118\*1290\*1550(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 80Kg; Minimum 5kg


• Muscle trained:  
deltoid, trapezius,



**Pulldown** SH-5806

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1408\*1322\*1881(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg


• Muscle trained:  
Latissimus dorsi,  
trapezius, biceps



**Biceps curl** SH-5807

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1457\*1221\*1543(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 60Kg; Minimum 5kg


• Muscle trained:  
biceps



**Triceps Press** SH-5808

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1180\*1130\*1540(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg

• Muscle trained:  
triceps






Strength Equipment



**Seated leg press** SH-6809

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1768\*1158\*1545(L\*W\*H)




- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg

- Muscle trained:  
quadriceps, gluteus, gastrocnemius muscle



**Leg extension** SH-6810

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1205\*1120\*1545(L\*W\*H)



- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 100Kg; Minimum 5kg


- Muscle trained:  
quadriceps femoris

Strength Equipment



**Prone Leg Curl** SH-6812

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1540\*1100\*1550(L\*W\*H)




- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 100Kg; Minimum 5kg

- Muscle trained:  
biceps femoris, gluteus



**Pec Fly/Rear Deltoid** SH-6813

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1136\*825\*2043(L\*W\*H)



- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 100Kg; Minimum 5kg

- Muscle trained:  
Pectoralis, anterior deltoid



**Glute machine** SH-6815

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension (mm) 970\*900\*1540(L\*W\*H)




- Color  
Black Silver & Flash silver black ash
- Chest mat  
PU foam; Color: dark green
- Weight plates:  
Maximum 60Kg; Minimum 5kg

- Muscle trained:  
gluteus



**Abdominal** SH-6816

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 100\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1579\*1023\*1688(L\*W\*H)




- Color  
Black Silver & Flash silver black ash
- Seat mat  
EVA + plywood; Color: dark green
- Weight plates:  
Maximum 100Kg; Minimum 5kg

- Muscle trained:  
abdominal muscles



**Back Extension** SH-6817

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1332\*1023\*1534(L\*W\*H)




- Color  
Black Silver & Flash silver black ash
- Seat mat  
PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg

- Muscle trained:  
Back muscle groups



**Torso rotation** SH-6818

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;
- Dimension(mm) 1530\*1340\*1540(L\*W\*H)



- Color  
Black Silver & Flash silver black ash
- Seat mat  
PU foam; Color: dark green
- Weight plates:  
Maximum 80Kg; Minimum 5kg

- Muscle trained:  
waist and abdominal muscle groups






**Abductor/Adductor** SH-6819

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension(mm) 1200\*1340\*1540(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
PU foam; Color: dark green
- Weight plates:  
Maximum 90Kg; Minimum 5kg


• Muscle trained:  
lateral thigh muscle



**Functional trainer** SH-6820

- Main frame  
Material: Q235A, specification: Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension(mm) 1660\*1026\*2240(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Weight plates:  
Maximum 100Kg; Minimum 5kg


• Muscle trained:  
muscle groups  
(shoulder, chest,  
back, leg)



**Low tension trainer** SH-6868

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension (mm) 1820\*990\*1770(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
PU foam + synthetic leather; Color: dark green
- Weight plates:  
Maximum 120Kg; Minimum 5kg


• Muscle trained:  
deltoid, back muscle  
groups



**High pull & low rowing trainer** SH-6891

- Main frame  
Material: Q235A, specification: gantry frame 150\*50\*t2.0, Sub-frame 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension(mm) 1521\*823\*2247(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
Adjustable, PU foam; Color: dark green
- Weight plates:  
Maximum 110Kg; Minimum 5kg


• Muscle trained:  
latissimus dorsi,  
cucullaris,  
biceps brachii



**Assist dip chin** SH-6851

- Main frame  
Material: Q235A, specification: Sub-frame frame 150\*50\*t2.0,
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension (mm) 975\*1425\*2230(L\*W\*H)
- Color  
Black Silver & Flash silver black ash
- Seat mat  
EVA + plywood; Color: dark green
- Weight plates:  
Maximum 135Kg; Minimum 5kg


• Muscle trained:  
Back muscle groups



**Adjustable cable cross over** SH-6852

- Main frame  
Material: Q235A, specification: mainframe 120\*50\*t2.0
- Wire rope  
Steel cable: PA material, Specification: Φ5.6;  
Dimension (mm) 3775\*925\*2290(L\*W\*H)
- Color  
Black Silver
- Weight plates:  
Maximum 90Kg; Minimum 5kg

• Muscle trained:  
pectoralis major,  
deltoid, biceps,  
triceps,  
latissimus dorsi








**Smith machine** SH-6853

- Main frame  
Material: Q235A, specification: 120\*50\* t2.0,  
Pillar tube  $\varnothing$  114 \*t2.5
- Wire rope  
Steel cable: PA material, Specification:  $\Phi$ 5.6;
- Dimension(mm) 2185\*1485\*2485(L\*W\*H)

• Muscle trained:  
quadriceps femoris,  
biceps femoris ,  
triceps




- Color  
Black Silver



**Squat rack** SH-6854

- Main frame  
Material: Q235A, specification: 120\*40\*t2.0  
Dimension(mm) 1740\*1677\*1894(L\*W\*H)

• Muscle trained:  
leg muscle




- Color  
Black Silver



**Adjustable dumbbell bench** SH-6855

- Main frame  
Material: Q235A, specification: 120\*40\*t2.0  
Dimension(mm) 1726\*604\*518(L\*W\*H)

• Muscle trained:




- Color  
Black Silver



**Olympic weight tree** SH-6856

- Main frame  
Material: Q235A, specification: 120\*40\*t2.0,  
Strengthened tube 120\*40\*t2.0,  
• Dimension (mm) 806\*707\*937(L\*W\*H)

• Muscle trained:



- Color  
Black Silver


- Maximum weight 150KG



**Adjustable bench** SH-6857

- Main frame  
Material: Q235A, specification: 80\*40\* t2.0
- Dimension (mm) 1362\*620\*440(L\*W\*H)

• Muscle trained:



- Color  
Black Silver


- Seat mat  
Plywood + EVA + Synthetic leather  
Color: dark green



**Back extension** SH-6858

- Material: Q235A, specification: main frame  
100\*40\* t2.0 Sliding tube 70\*30\* t2.0
- Dimension (mm) 1115\*803\*798(L\*W\*H)

• Muscle trained:  
erector spinae



- Color  
Black Silver


- Seat mat  
Plywood + EVA + Synthetic leather  
Color: dark green



**Arm curl Bench** SH-6859

- Main frame  
Material: Q235A, specification: main frame  
120\*40\* t2.0 Sliding tube 80\*40\* t2.0.
- Dimension (mm) 1005\*788\*1189 ( L\*W\*H)

• Muscle trained:  
Biceps



- Color  
Black Silver


- Seat mat  
Plywood + EVA + Synthetic leather  
Color: dark green



**Olympic Flat Bench** SH-6871

- Main frame  
Material: Q235A, specification: lying mat  
frame 120\*40\*t2.0 Side frames 120\*40\*t2.0
- Dimension(mm) 1590\*1580\*1180(L\*W\*H)

• Muscle trained:  
pectoralis major,  
deltoid, triceps



- Color  
Black Silver

- Seat mat  
Plywood + EVA + Synthetic leather  
Color: dark green






Olympic decline bench SH-6872

- Main frame Material: Q235A, specification: 120\*40\*t2.0
- Lying mat and head mat Material: Plywood + cycle cotton+ synthetic leather; Color: dark green
- Dimension(mm) 1838\*1590\*1185(L\*W\*H)
- Muscle trained: Pectoralis major


- Color Black Silver
- Feet foams Synthetic leather + PU foam+; Color: dark green



Olympic incline bench SH-6873

- Main frame Material: Q235A, specification: front frame 120\*40\*t2.0 back frame 120\*40\*t2.0
- Dimension(mm) 1470\*1580\*1375(L\*W\*H)
- Muscle trained: pectoralis major, deltoid, triceps


- Color Black Silver
- Seat mat Plywood + EVA + Synthetic leather; Color: dark green



Linear Leg Press SH-6874

- Main frame Material:Q235A, specification:50\*150\* t2.0,
- Dimension(mm) 2050\*1000\*1469(L\*W\*H)
- Muscle trained: leg muscles


- Color Black Silver



Utility bench SH-6876

- Main frame Material: Q235A, specification: back frame 120\*40\*t2.0
- Seat support frame 120\*40\*t2.0
- Dimension (mm) 870\*500\*787(L\*W\*H)
- Muscle trained:


- Color Black Silver
- Seat mat Plywood + EVA + Synthetic leather; Color: dark green



Flat bench SH-6878

- Main frame Material: Q235A, specification: 120\*40\* t2.0 Back ground tube 120\*40\* t2.0
- Dimension (mm) 1820\*600\*445(L\*W\*H)
- Muscle trained: nothing


- Color Black Silver
- Seat mat Plywood + EVA + Synthetic leather; Color: dark green



Adjustable abdominal bench SH-6879

- Main frame Material: Q235A, specification: main frame 120\*40\* t2.0 Ground tube 120\*40\* t2.0
- Dimension (mm) 1820\*700\*990(L\*W\*H)
- Muscle trained: rectus abdominis, external oblique abdominals


- Color Black Silver
- Seat mat Plywood + EVA + Synthetic leather; Color: dark green



Barbell rack SH-6883

- Main frame Material: Q235A, specification: 120\*40\* t2.0, Connection rod 40\*80\* t2.0,
- Dimension (mm) 905\*863\*1388(L\*W\*H)
- Muscle trained:


- Color Black Silver



Two tier DB rack SH-6884

- Main frame Material: Q235A, specification: 120\*40\*t2.0, Strengthened tube 120\*40\* t2.0,
- Dimension (mm) 2385\*880\*885(L\*W\*H)
- Muscle trained:

- Color Black Silver
- Seat mat Plywood + EVA + Synthetic leather; Color: dark green



Архангельск (8182)63-90-72  
 Астана (7172)727-132  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
 Ижевск (3412)26-03-58  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Новосибирск (383)227-86-73  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16

Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
 Тверь (4822)63-31-35  
 Томск (3822)98-41-53  
 Тула (4872)74-02-29  
 Тюмень (3452)66-21-18  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://shua.nt-rt.ru> || [sah@nt-rt.ru](mailto:sah@nt-rt.ru)